



# WELD NECK FLANGES - 16" 600

A105N / LF2 / F42 / F52 / F60 / F65 / F70  
REVISED 3.29.2021

B-S Company, Inc.  
2651 S. 9180 W.  
Magna, UT 84044  
O: 801-250-3399  
W: bscoinc.net

| QUANTITY | SORT | SIZE | CLASS | FACE | TYPE | BORE | GRADE | MTR | OTHER                       | TRANS                                      |
|----------|------|------|-------|------|------|------|-------|-----|-----------------------------|--|
| 2        | 16   | 16"  | 600 # | RF   | WN   | STD  | A105N | Y   | BOLTEX HT: M7+              | <b>#86 #155</b>                            |
| 7        | 16   | 16"  | 600 # | RF   | WN   | STD  | A105N | Y   | WELDBEND HT: 162752         | <b>#65 #66 #67 #142<br/>#150 #151 #152</b> |
| 1        | 16   | 16"  | 600 # | RF   | WN   | STD  | A105N | Y   | BOLTEX HT: 1B302            | <b>#167</b>                                |
| 1        | 16   | 16"  | 600 # | RF   | WN   | STD  | A105N | Y   | MELESI (ITALY)<br>HT: 89745 | <b>#147</b>                                |
| 1        | 16   | 16"  | 600 # | RF   | WN   | STD  | A105N | N   | FEDERAL HT: 40559           | <b>#148</b>                                |
| 1        | 16   | 16"  | 600 # | RF   | WN   | STD  | A105N | N   | GMC HT: 28183               | <b>#149</b>                                |
| 1        | 16   | 16"  | 600 # | RF   | WN   | STD  | A105N | N   | LADISH HT: WAX              | <b>#143</b>                                |
| 2        | 16   | 16"  | 600 # | RF   | WN   | STD  | A105N | N   | NO MARKS                    | <b>#138 #139</b>                           |



# WELD NECK FLANGES - 16" 600

A105N / LF2 / F42 / F52 / F60 / F65 / F70  
REVISED 3.29.2021

B-S Company, Inc.  
2651 S. 9180 W.  
Magna, UT 84044  
O: 801-250-3399  
W: bscoinc.net

| QUANTITY | SORT | SIZE | CLASS | FACE | TYPE | BORE | GRADE | MTR | OTHER                      | TRANS  |
|----------|------|------|-------|------|------|------|-------|-----|----------------------------|--|
| 1        | 16   | 16"  | 600 # | RF   | WN   | STD  | F42   | N   | COFFER HT: MYNI            | <b>#85</b>   |
| 1        | 16   | 16"  | 600 # | RF   | WN   | STD  | F42   | N   | COFFER HT: UQF7            | <b>#110</b>  |
| 24       | 16   | 16"  | 600 # | RF   | WN   | STD  | F52   | Y   | GALPERTI HT: 168692/04     | <b>#174 #175 #176<br/>#177 #178 #179<br/>#180 #181 #182<br/>#183 #184 #185<br/>#186 #187 #188<br/>#189 #199 #200<br/>#201 #202 #203<br/>#204 #205 #206</b> |
| 1        | 16   | 16"  | 600 # | RF   | WN   | STD  | F52   | N   | GALPERTI<br>HT: CAN'T READ | <b>#87</b>   |
| 1        | 16   | 16"  | 600 # | RF   | WN   | STD  | F52   | N   | MFG: CAN'T READ<br>HT: QT1 | <b>#48</b>   |
| 1        | 16   | 16"  | 600 # | RF   | WN   | STD  | F52   | Y   | BOLTEX HT: U8HN            | <b>#193</b>  |



# WELD NECK FLANGES - 16" 600

A105N / LF2 / F42 / F52 / F60 / F65 / F70  
REVISED 3.29.2021

B-S Company, Inc.  
2651 S. 9180 W.  
Magna, UT 84044  
O: 801-250-3399  
W: bscoinc.net

| QUANTITY | SORT | SIZE | CLASS | FACE | TYPE | BORE | GRADE                   | MTR               | OTHER                       | TRANS                   |
|----------|------|------|-------|------|------|------|-------------------------|-------------------|-----------------------------|-------------------------|
| 1        | 16   | 16"  | 600 # | RF   | WN   | STD  | F52                     | N - MTR<br>FOR XH | MELESI (ITALY)<br>HT: 39912 | <b>#125</b>             |
| 2        | 16   | 16"  | 600 # | RF   | WN   | STD  | F52                     | N                 | GALPERTI<br>HT: 20963.E/04  | <b>#132 #133</b>        |
| 2        | 16   | 16"  | 600 # | RF   | WN   | STD  | F52 /<br>A105N /<br>LF2 | N                 | [M] SPAIN<br>HT: CAN'T READ | <b>#162 #163</b>        |
| 4        | 16   | 16"  | 600 # | RF   | WN   | STD  | F60                     | N                 | GALPERTI<br>HT: B0096E/06   | <b>#53 #54 #55 #126</b> |
| 3        | 16   | 16"  | 600 # | RF   | WN   | STD  | F60                     | N                 | GALPERTI<br>HT: 150341/06   | <b>#71 #72 #74</b>      |
| 1        | 16   | 16"  | 600 # | RF   | WN   | STD  | F60                     | N                 | GALPERTI<br>HT: 41125.E/06  | <b>#73</b>              |
| 1        | 16   | 16"  | 600 # | RF   | WN   | STD  | F60                     | Y                 | GALPERTI<br>HT: 100944N/06  | <b>#75</b>              |



# WELD NECK FLANGES - 16" 600

A105N / LF2 / F42 / F52 / F60 / F65 / F70

REVISED 3.29.2021

B-S Company, Inc.

2651 S. 9180 W.

Magna, UT 84044

O: 801-250-3399

W: bscoinc.net

| QUANTITY | SORT | SIZE | CLASS | FACE | TYPE | BORE | GRADE | MTR                       | OTHER   | TRANS                                    |
|----------|------|------|-------|------|------|------|-------|---------------------------|---|--|
| 6        | 16   | 16"  | 600 # | RF   | WN   | STD  | F65   | N                         | GALPERTI<br>HT: (H) A0278E/06                                       | <b>#111 #112 #113<br/>#114 #115 #116</b> |
| 1        | 16   | 16"  | 600 # | RF   | WN   | STD  | F65   | N                         | GALPERTI<br>HT: 21333.E/06  | <b>#47</b>                               |
| 1        | 16   | 16"  | 600 # | RF   | WN   | STD  | F65   | N                         | GALPERTI<br>HT: (H)M33461.06 -OR-<br>HT: (H)N133461.06              | <b>#49</b>                               |
| 1        | 16   | 16"  | 600 # | RF   | WN   | STD  | F65   | DOUBLE<br>CHECK<br>HEAT # | GALPERTI<br>HT: (H)M04721/06<br><b>MTR FOR HT:<br/>(H)M0472E/06</b> | <b>#50</b>                               |
| 2        | 16   | 16"  | 600 # | RF   | WN   | STD  | F65   | N                         | COFFER HT: NTNI   | <b>#51 #52</b>                           |
| 1        | 16   | 16"  | 600 # | RF   | WN   | STD  | F65   | N                         | GALPERTI<br>HT: 210542  | <b>#128</b>                              |
| 1        | 16   | 16"  | 600 # | RF   | WN   | STD  | F65   | Y                         | GALPERTI<br>HT: 091677N/06  | <b>#153</b>                              |



# WELD NECK FLANGES - 16" 600

A105N / LF2 / F42 / F52 / F60 / F65 / F70  
REVISED 3.29.2021

B-S Company, Inc.  
2651 S. 9180 W.  
Magna, UT 84044  
O: 801-250-3399  
W: bscoinc.net

| QUANTITY | SORT | SIZE | CLASS | FACE | TYPE | BORE | GRADE | MTR                    | OTHER                          | TRANS              |
|----------|------|------|-------|------|------|------|-------|------------------------|--------------------------------|--------------------|
| 1        | 16   | 16"  | 600 # | RF   | WN   | XH   | A105N | Y                      | GALPERTI<br>HT: 94295/02       | <b>#127</b>        |
| 3        | 16   | 16"  | 600 # | RF   | WN   | XH   | A105N | Y                      | INDIA HT: AW104                | <b>#68 #69 #70</b> |
| 3        | 16   | 16"  | 600 # | RF   | WN   | XH   | A105N | N                      | NATIONAL FLANGE<br>HT: 00G95   | <b>#88 #92 #93</b> |
| 3        | 16   | 16"  | 600 # | RF   | WN   | XH   | A105N | N - MTR<br>FOR<br>S/60 | GALPERTI<br>HT: 30226.E/02     | <b>#89 #90 #91</b> |
| 2        | 16   | 16"  | 600 # | RF   | WN   | XH   | A105N | Y                      | INDIA HT: AW084                | <b>#100 #101</b>   |
| 2        | 16   | 16"  | 600 # | RF   | WN   | XH   | A105N | Y                      | METALFAR (ITALY)<br>HT: 175207 | <b>#102 #103</b>   |
| 1        | 16   | 16"  | 600 # | RF   | WN   | XH   | A105N | Y                      | KOREA HT: N28246               | <b>#173</b>        |



# WELD NECK FLANGES - 16" 600

A105N / LF2 / F42 / F52 / F60 / F65 / F70  
REVISED 3.29.2021

B-S Company, Inc.  
2651 S. 9180 W.  
Magna, UT 84044  
O: 801-250-3399  
W: bscoinc.net

| QUANTITY | SORT | SIZE | CLASS | FACE | TYPE | BORE | GRADE | MTR | OTHER                      | TRANS                      |
|----------|------|------|-------|------|------|------|-------|-----|----------------------------|----------------------------|
| 1        | 16   | 16"  | 600 # | RF   | WN   | XH   | A105N | N   | INDIA HT: 4U182 -OR- AU182 | <b>#104</b>                |
| 4        | 16   | 16"  | 600 # | RF   | WN   | XH   | F42   | N   | NATIONAL FLANGE HT: 00A95  | <b>#106 #107 #108 #109</b> |
| 2        | 16   | 16"  | 600 # | RF   | WN   | XH   | A105N | N   | MFG: ---- HT: 05378        | <b>#145 #154</b>           |
| 3        | 16   | 16"  | 600 # | RF   | WN   | XH   | F52   | N   | GALPERTI HT: 131127N/04    | <b>#164 #165 #166</b>      |
| 2        | 16   | 16"  | 600 # | RF   | WN   | XH   | F52   | Y   | FEDERAL FLANGE HT: IC709   | <b>#168 #170</b>           |
| 2        | 16   | 16"  | 600 # | RF   | WN   | XH   | F52   | N   | DL FLANGE HT: D0333        | <b>#82 #62</b>             |
| 1        | 16   | 16"  | 600 # | RF   | WN   | XH   | F52   | N   | DL FLANGE HT: D4078        | <b>#83</b>                 |



# WELD NECK FLANGES - 16" 600

A105N / LF2 / F42 / F52 / F60 / F65 / F70  
REVISED 3.29.2021

B-S Company, Inc.  
2651 S. 9180 W.  
Magna, UT 84044  
O: 801-250-3399  
W: bscoinc.net

| QUANTITY | SORT | SIZE | CLASS | FACE | TYPE            | BORE | GRADE  | MTR | OTHER                              | TRANS                 |
|----------|------|------|-------|------|-----------------|------|--------|-----|------------------------------------|-----------------------|
| 1        | 16   | 16"  | 600 # | RF   | WN              | XH   | F52    | N   | DL FLANGE HT: D0141                | <b>#105</b>           |
| 1        | 16   | 16"  | 600 # | RF   | WN              | XH   | F48X52 | N   | LADISH HT: UM2WJ                   | <b>#146</b>           |
| 2        | 16   | 16"  | 600 # | RF   | WN -<br>ORIFICE | XH   | F52    | N   | FEDERAL HT: MXJI<br>ORIFICE FLANGE | <b>#134 #135</b>      |
| 1        | 16   | 16"  | 600 # | RF   | WN              | XH   | F56    | N   | GALPERTI<br>HT: 115128N/06         | <b>#161</b>           |
| 3        | 16   | 16"  | 600 # | RF   | WN              | XH   | F56    | N   | DL FLANGE HT: D5726                | <b>#56 #57 #58</b>    |
| 3        | 16   | 16"  | 600 # | RF   | WN              | XH   | F56    | Y   | DL FLANGE HT: D11123               | <b>#155 #159 #160</b> |
| 1        | 16   | 16"  | 600 # | RF   | WN              | XH   | F60    | Y   | GALPERTI<br>HT: 11589W/06          | <b>#124</b>           |
| 1        | 16   | 16"  | 600 # | RF   | WN              | XH   | F60    | N   | COFFER HT: LXX5                    | <b>#131</b>           |



# WELD NECK FLANGES - 16" 600

A105N / LF2 / F42 / F52 / F60 / F65 / F70  
REVISED 3.29.2021

B-S Company, Inc.  
2651 S. 9180 W.  
Magna, UT 84044  
O: 801-250-3399  
W: bscoinc.net

| QUANTITY | SORT | SIZE | CLASS | FACE | TYPE | BORE  | GRADE | MTR                       | OTHER                      | TRANS  |
|----------|------|------|-------|------|------|-------|-------|---------------------------|----------------------------|--|
| 2        | 16   | 16"  | 600 # | RF   | WN   | XH    | F60   | Y                         | GALPERTI<br>HT: 175162V/06 | <b>#156 #157</b>   |
| 5        | 16   | 16"  | 600 # | RF   | WN   | XH    | F65   | DOUBLE<br>CHECK<br>HEAT # | KOREA<br>HT: DOUBLE CHECK  | <b>#190 #192 #194<br/>#195 #198</b>  |
| 23       | 16   | 16"  | 600 # | RF   | WN   | 0.625 | A105N | Y                         | GALPERTI<br>HT: 164072.V11 | <b>#1 #2 #3 #7 #8 #9<br/>#10 #18 #22 #27<br/>#31 #32 #33 #34<br/>#35 #36 #40 #43<br/>#44 #45 #46 #28<br/>#29</b> |
| 12       | 16   | 16"  | 600 # | RF   | WN   | 0.625 | A105N | Y                         | GALPERTI<br>HT: 22441      | <b>#4 #11 #12 #14<br/>#16 #17 #19 #23<br/>#24 #26 #39 #42</b>  |
| 11       | 16   | 16"  | 600 # | RF   | WN   | 0.625 | A105N | Y                         | GALPERTI<br>HT: 22442      | <b>#5 #6 #13 #15 #20<br/>#21 #25 #30 #37<br/>#38 #41</b>   |
| 2        | 16   | 16"  | 600 # | RF   | WN   | .281W | F60   | N                         | KOREA<br>HT: DOUBLE CHECK  | <b>#191 #196</b>   |





# WELD NECK FLANGES - 16" 600

A105N / LF2 / F42 / F52 / F60 / F65 / F70  
REVISED 3.29.2021

B-S Company, Inc.  
2651 S. 9180 W.  
Magna, UT 84044  
O: 801-250-3399  
W: bscoinc.net

| QUANTITY | SORT | SIZE | CLASS | FACE | TYPE            | BORE            | GRADE | MTR                    | OTHER                                     | TRANS                          |
|----------|------|------|-------|------|-----------------|-----------------|-------|------------------------|---|--------------------------------|
| 1        | 16   | 16"  | 600 # | RF   | WN              | .281W           | F60   | Y                      | BOLTEX HT: A9UH<br>BORED FROM STD         | <b>#197</b>                    |
| 1        | 16   | 16"  | 600 # | RF   | WN              | S/60<br>(.656W) | A105N | Y                      | OFFICINE SANTFIDE<br>HT: 179067           | <b>#123</b>                    |
| 2        | 16   | 16"  | 600 # | RF   | WN              | S/60<br>(.656W) | A105N | N - MTR<br>FOR<br>S/80 | PPI HT: BSIR                              | <b>#63 #64</b>                 |
| 1        | 16   | 16"  | 600 # | RF   | WN              | S/60<br>(.656W) | A105N | N                      | ITALY HT: (H) 146198.V                    | <b>#144</b>                    |
| 3        | 16   | 16"  | 600 # | RF   | WN              | S/60<br>(.656W) | A105N | N                      | KOREA HT: N28246                          | <b>#169 #171 #172</b>          |
| 4        | 16   | 16"  | 600 # | RF   | WN              | S/60<br>(.656W) | LF2   | Y                      | GALPERTI<br>HT: 164072/04                 | <b>#119 #120 #121<br/>#122</b> |
| 2        | 16   | 16"  | 600 # | RF   | WN -<br>ORIFICE | S/80<br>(.844W) | A105N | N                      | GALPERTI<br>HT: 15588.S<br>ORIFICE FLANGE | <b>#136 #137</b>               |



# WELD NECK FLANGES - 16" 600

A105N / LF2 / F42 / F52 / F60 / F65 / F70  
REVISED 3.29.2021

B-S Company, Inc.  
2651 S. 9180 W.  
Magna, UT 84044  
O: 801-250-3399  
W: bscoinc.net

| QUANTITY | SORT | SIZE | CLASS | FACE | TYPE | BORE            | GRADE     | MTR | OTHER                       | TRANS                                  |
|----------|------|------|-------|------|------|-----------------|-----------|-----|-----------------------------|--|
| 7        | 16   | 16"  | 600 # | RF   | WN   | S/80<br>(.844W) | A105N     | Y   | MELESI (ITALY)<br>HT: 43955 | <b>#76 #79 #80 #81<br/>#94 #95 #99</b> |
| 1        | 16   | 16"  | 600 # | RF   | WN   | S/80<br>(.844W) | F52 / LF2 | N   | ROMANIA HT: 19943           | <b>#61</b>                             |